

How Steril-Aire Benefits Hospitals

CLINICAL

Improved IAQ

Reduce certain Hospital Acquired Infections (HAIS)*

- Increased bed availability *
- Reduction in HAI medication use *
- Reduction in HAI lab tests *
- Reduction in patient morbidity and mortality *
- Reduction in staff absenteeism **
- Partial pandemic protection ***
- Surface decontamination

FACILITIES ****

Automatic coil cleaning

- Reduction of maintenance down-time
- Reduction of maintenance costs
- AC energy saving
- Reduction in carbon footprint
- Coil Condensate Recovery/Recycling


Extension of equipment life:

- Coil
- Chiller
- Pumps
- HEPA filters



SE Fixture and UVC Emitter®

- Subject to UVC Dosage applied
- * See Case study Women's & Children's Hospital Buffalo, NY
- ** See Case Study: McGill University, Montreal, Canada
- *** ASHRAE Airborne Infectious Diseases Position Document
- *** Use of Steril-Aire UVC at Tan Tock Seng Hospital at height of SARS pandemic (2003)
- **** See Case studies at www.steril-aire.com









RIDS UVC Emitter®



Steril-Zone™

Hospital Use of Steril-Aire UVC











HVAC systems

- AHUs
- Fan-coils
- Splits
- Wall Package Units
- Unit Ventilators
- Heat Wheels
- Ice Machines
- Refrigeration
- Forced Air Systems
- Humidifiers


In Room

- Ceiling Mounted
- RIDS
- Steril-Zone

Locations

- Operating Theater
- Intensive Care
- Isolation Wards
- ER (Emergency Room)
- Recovery Rooms
- Labs
- Extract Ducts
- Kitchen Ducts
- Morgue
- Cooling Towers

The Science of Steril-Aire UVC





Air-Conditioning Cooling Coil











Before Steril-Aire

After Steril-Aire

Steril-Aire UVC Products

Full catalogue at www.steril-aire.com

DE SERIES UVC EMITTER®







- For use in medium to large AHUs.
- Double-ended Emitters are mounted internally and fitted end-to-end to fit any size coil.
- Available in: 18", 24", 30", 36", 42", 62" inch lengths (46, 61, 76, 91, 107, 157 cm lengths).
- Universal power-supply. 110 to 277V 50/60 Hz

SE SERIES UVC EMITTER®







- For fan-coils, heat-pumps, unit ventilators, packaged AHUs, terminal units, and ducts.
- Mounted on exterior of AHU. Tube Installed through a one-inch hole (2.54 cm) drilled through the AHU casing.
- Available in 12",16", 20", 24", 30", 36", 42" inch lengths (30, 41, 51, 61, 91, 107 cm lengths).
- Universal power-supply: 110 to 277V- 50/60 Hz
- Also available as an internally mounted kit with 12" to 61" (30 to 155 cm) SE Emitter tubes.

CEILING MOUNTED DE 422 & RIDS SERIES UVC EMITTER®









DE 422 for Decontamination of Medical Spaces (without people).

RIDS Portable Decontamination Unit.

Reports Worldwide

Selected Customer Case Studies (www.steril-aire.com)

- Florida Hospital
- Michigan Hospital
- Muskogee Hospital
- Buffalo Women's & Children's Hospital
- New South Wales, Australia
- IV Lab Lehigh Valley Hospital
- Infection Control & Hospital Epidemiology

Government UVC Acknowledgements

- EPA Homeland Security, USA
- General Service Administration (GSA), USA
- Ministry of Labour, Italy
- Tan Tock Seng Hospital, Singapore (Green Mark Platinum Award)
- Building and Construction Authority of Singapore (Green Innovation Award)
- Center of Disease Control and Prevention (CDC), USA

Industry UVC Recognition: ASHRAE

- Director's Letter June 24th 2009
- Chapter 17 2012 ASHRAE Handbook (HVAC Systems and Equipment)
- Chapter 60 2011 ASHRAE Handbook (HVAC Applications)



Contact: sales@steril-aire.com | +1-818-565-1128 | © Steril-Aire 2013. All Rights Reserved